

CHEMTREC Transporation Emergency Phone: 800-424-9300

Pittsburgh Poison Control Center

Health Emergency No.: 412-681-6669

NOTE: The CHEMTREC Transportation Emergency Phone is to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure or accident involving chemicals

## Section 1 - Chemical Product / Company Information

Product Name: CARBOGUA

CARBOGUARD 510 PART B

**Revision Date: 09/12/2005** 

Identification Number:

PLMSDS S510B1NL

**Supercedes:** 09/12/2005

Product Use/Class:

Water Based Epoxy Repair Mortar -

FOR INDUSTRIAL USE ONLY

Preparer: Regulatory, Department

Manufacturer: Carboline Company

350 Hanley Industrial Ct. St. Louis, MO 63144

# Section 2 - Composition / Information On Ingredients

Chemical Name	CAS Number	Weight % Less Than	<b>ACGIH TLV-TWA</b>	ACGIH TLV-STEL	<b>OSHA PEL-TWA</b>	OSHA-CEIL
ACETIC ACID	64-19-7	10.0	N/E	N/E	N/E	N/E

## Section 3 - Hazards Identification

**Emergency Overview:** Use ventilation necessary to keep exposures below recommended exposure limits, if any.

Effects Of Overexposure - Eye Contact: May cause eye irritation.

Effects Of Overexposure - Skin Contact: May cause skin irritation.

Effects Of Overexposure - Inhalation: Use in inadequately ventilated areas may result in irritation headache

and nausea.

Effects Of Overexposure - Ingestion: May be harmful if swallowed.

**Effects Of Overexposure - Chronic Hazards:** Under normal use conditions, this product is not expected to cause adverse health effects.

Primary Route(s) Of Entry: Skin Contact, Inhalation, Ingestion, Eye Contact

**Medical Conditions Prone to Aggravation by Exposure:** If you have a condition that could be aggravated by exposure to dust or organic vapors, see a physician prior to use.

## Section 4 - First Aid Measures

First Aid - Eye Contact: If material gets into eyes, flush with water immediately for 15 minutes. Consult a physician.

First Aid - Skin Contact: Launder clothing before reuse. In case of contact, wash skin immediately with soap and water.

**First Aid - Inhalation:** If inhaled, remove to fresh air. Administer oxygen if necessary. Consult a physician if symptoms persist or exposure was severe.

First Aid - Ingestion: If swallowed do not induce vomiting. Seek immediate medical attention.

## Section 5 - Fire Fighting Measures

Flash Point, F: None
Lower Explosive Limit, %: N/A
()
Upper Explosive Limit, %: N/A

Extinguishing Media: Carbon Dioxide, Dry Chemical, Foam, Water Fog

Unusual Fire And Explosion Hazards: None known.

Special Firefighting Procedures: Non-flammable. Cool fire-exposed containers using water spray.

#### Section 6 - Accidental Release Measures

**Steps To Be Taken If Material Is Released Or Spilled:** If a spill or leak occurs, contain the material. It can be allowed to dry or cure and presents no health or fire hazard. The material can then be removed and disposed of as non-hazardous waste. Before drying, the material can be washed or removed using soap and water.

# Section 7 - Handling And Storage

**Handling:** Do not get in eyes, on skin, or on clothing. Keep container tightly closed when not in use. Wear personal protection equipment. Do not breathe vapors. Wash thoroughly after handling. If pouring or transferring materials, ground all containers and tools. Do not weld, heat, cut or drill on full or empty containers. Use only in accordance with Carboline application instructions, container label and Product Data Sheet.

Storage: Keep container closed when not in use.

# Section 8 - Exposure Controls / Personal Protection

**Engineering Controls:** Use explosion-proof ventilation when required to keep below health exposure guidelines and Lower Explosion Limit (LEL).

**Respiratory Protection:** Use only with ventilation to keep levels below exposure guidelines listed in Section 2. User should test and monitor exposure levels to ensure all personnel are below guidelines. If not sure, or not able to monitor, use MSHA/NISOH approved supplied air respirator. Follow all current OSHA requirements for respirator use.

**Skin Protection:** Recommend impervious gloves and clothing to avoid skin contact. If material penetrates to skin, change gloves and clothing. The use of protective creams may be beneficial to certain individuals. Protective creams should be applied before exposure.

Eye Protection: Recommend safety glasses with side shields or chemical goggles to avoid eye contact.

Other protective equipment: Eye wash and safety showers should be readily available.

Hygienic Practices: Contaminated clothing should be changed and washed before reuse. Eating, drinking and smoking in immediate work area should be prohibited. Wash with soap and water before eating, drinking, smoking, applying cosmetics, or using toilet facilities. Use of a hand cleaner is recommended. Launder contaminated clothing before reuse. Leather shoes can absorb and allow hazardous materials to pass through. Check shoes carefully after soaking before reuse.

## **Section 9 - Physical And Chemical Properties**

**Boiling Range:** 244F (117 C) - 244F (117C)

Odor: None

Appearance: Water Thin Liquid

**Solubility in H2O:** N/D

**Freeze Point:** 32F (0C) Vapor Pressure: N/D Physical State: Liquid

(See section 16 for abbreviation legend)

Vapor Density: Heavier than Air

Odor Threshold: N/D

**Evaporation Rate:** Slower Than Ether

1.00 Specific Gravity: PH:

N/D

## **Section 10 - Stability And Reactivity**

Conditions To Avoid: None

**Incompatibility:** None

Hazardous Decomposition Products: Carbon monoxide, nitrogen oxides, and unidentified organic compounds. Consider all smoke and fumes from burning material as very hazardous. Welding, cutting or abrasive grinding can create smoke and fumes. Do not breathe any fumes or smoke from these operations.

**Hazardous Polymerization:** Will not occur under normal conditions.

**Stability:** This product is stable under normal storage conditions.

## **Section 11 - Toxicological Information**

Product LD50: N/D Product LC50: N/D

Chemical Name	CAS Number	LD50	LC50
ACETIC ACID	64-19-7		

## Section 12 - Ecological Information

Ecological Information: No data

### **Section 13 - Disposal Information**

**Disposal Information:** Dispose of in accordance with State, Local, and Federal Environmental regulations. Responsibility for proper waste disposal is with the owner of the waste.

## Section 14 - Transportation Information

**DOT Proper Shipping Name:** Not Regulated

**DOT Technical Name:** N/A **DOT Hazard Class:** None

Packing Group: N/A Hazard Subclass: N/A Resp. Guide N/A

Page:

DOT UN/NA Number: N/A

### Section 15 - Regulatory Information

#### **CERCLA - SARA HAZARD CATEGORY**

This product has been reviewed according to the EPA Hazard Categories promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

IMMEDIATE HEALTH HAZARD, CHRONIC HEALTH HAZARD

#### **SARA SECTION 313**

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372:

No Section 313 Substances exist in this product

#### **TOXIC SUBSTANCES CONTROL ACT**

All components of this product are listed on the TSCA inventory.

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:

No TSCA 12(B) Substances exist in this product

#### **U.S. STATE REGULATIONS AS FOLLOWS:**

#### **NEW JERSEY RIGHT-TO-KNOW**

The following materials are non-hazardous, but are among the top five components in this product.

Chemical NameCAS NumberWATER7732-18-5POLYAMIDE RESIN68410-23-1PETROLEUM HYDROCARBON064741-89-5

#### PENNSYLVANIA RIGHT-TO-KNOW

The following non-hazardous ingredients are present in the product at greater than 3%.

Chemical NameCAS NumberWATER7732-18-5POLYAMIDE RESIN68410-23-1

### **CALIFORNIA PROPOSITION 65**

Warning: The following ingredients present in the product are known to the state of California to cause

#### Cancer:

No California Proposition 65 Carcinogens exist

Warning: The following ingredients present in the product are known to the state of California to cause birth defects, or other reproductive hazards:

No California Proposition 65 Reproductive Toxins exist

#### INTERNATIONAL REGULATIONS AS FOLLOWS:

#### **CANADIAN WHMIS**

This MSDS has been prepared in compliance with Controlled Product Regulations except for the use of the 16 headings.

CANADIAN WHMIS CLASS: Not WHMIS Regulated

## **Section 16 - Other Information**

**HMIS Ratings** 

Health: 0 Flammability: 0 Reactivity: 0 Personal Protection: X

**VOLATILE ORGANIC COMPOUNDS, GR/LTR MIXED (UNTHINNED):** 0

**REASON FOR REVISION:** Changed to 16 Section Format.

Legend: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined

The information contained herein is, to the best of our knowledge and belief accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by use of this material. It is the responsibility of the user to comply with all applicable federal, state, and local laws and regulations